

The publications listed in this section were produced through funding, all or in part, from the Defense Women's Health Research Program.

Ader DN, South-Paul J, Adera T, Deuster PA. Cyclical mastalgia: prevalence and associated health and behavioral factors. *J Psychosom Obstet Gynaecol* 2001;22:71-6.

Almeida SA, Trone DW, Leone DM, Shaffer RA, Patheal SL, Long K. Gender differences in musculoskeletal rates: a function of symptom reporting? *Med Sci Sports Exerc* 1999;31:1807-12.

Altemus M, Deuster PA, Gallivan E, Carter CS, Gold PW. Suppression of hypothalamic-pituitary-adrenal axis responses to stress in lactating women. *J Clin Endocrinol Metab* 1995;80:2954-2959.

Altemus M, Redwine LS, Leong Y-M, Frye CA, Porges SW, Carter CS. Responses to laboratory psychosocial stress in postpartum women. *Psychosom Med* 2001;63:814-821.

Amoroso PJ, Bell NS, Jones BH. Injury among female and male Army parachutists. *Aviat Space Environ Med* 1997;68:1006-11.

Amoroso PJ, Bell NS, Smith GS, Senior L, Pickett D. Viewpoint: a comparison of cause-of-injury coding in US military and civilian hospitals. *Am J Prev Med* 2000;18:164-173.

Amoroso PJ, Smith GS, Bell NS. Qualitative and quantitative assessment of cause-of-injury coding in military hospitals: NATO Standardization Agreement (STANAG) 2050. *Am J Prev Med* 2000;18:174-187.

Andersen SL, Berman J, Kushner R, Wesche D, Magill A, Wellde B, Schneider I, Dunne M, Schuster BG. Prophylaxis of *Plasmodium falciparum* malaria with azithromycin administered to volunteers. *Ann Intern Med* 1995;123:771-3.

Andersen SL, Oloo AJ, Gordon DM, Ragama OB, Aleman GM, Berman JD, Tang DB, Dunne MW, Shanks GD. Successful double-blinded, randomized, placebo-controlled field trial of azithromycin and doxycycline as prophylaxis for malaria in western Kenya. *Clin Infect Dis* 1998;26:146-150.

Arsenault JE, Cline AD. Nutrient intakes and characteristics of normal weight, female military personnel consuming foods reduced in fat or energy content. *Appetite* 2000;34:227-33.

Artenstein AW, VanCott TC, Sitz KV, Robb ML, Wagner KF, Veit SC, Rogers AF, Garner RP, Byron JW, Burnett PR, Birx DL. Mucosal immune responses in four distinct compartments of women infected with human immunodeficiency virus type I: a

comparison by site and correlation with clinical information. *J Infect Dis* 1997;175:265-71.

Baisden AG, Pokorski TL. Development of gender-neutral occupational standards. I. Physical training issues for female combat aircraft pilots. *SAFE Journal* 1995;25:17-21.

Baisden AG, Pokorski TL, Meyer SG. Development of gender-neutral occupational standards. II. Job demands and physiological issues regarding female combat pilots. *SAFE Journal* 1995;25:22-7.

Beck, TJ, Ruff CB, Shaffer RA, Betsinger K, Trone DW, Brodine SK. Stress fracture in military recruits: gender differences in muscle and bone susceptibility factors. *Bone* 2000;27:437-44.

Becker RL Jr., Mikel UV, Oliver WR, Sesterhenn IA. Enumeration of interphase chromosomes. Comparison of visual in situ hybridization and confocal fluorescence in situ hybridization. *Anal Quant Cytol Histol* 1996;18:405-9.

Beidleman BA, Rock PB, Muza SR, Fulco CS, Forte Jr. VA, Cymerman A. Exercise VE and physical performance at altitude are not affected by menstrual cycle phase. *J Appl Physiol* 1999;86:1519-26.

Beidleman BA, Rock PB, Muza SR, Fulco CS, Gibson LL, Kamimori GH, Cymerman A. Substrate oxidation is altered in women during exercise upon acute altitude exposure. *Med Sci Sports Exerc* 2002;34:430-7.

Bell NS, Amoroso PJ, Yore MM, Smith GS, Jones BH. Self reported risk-taking behaviors and hospitalization for motor vehicle injury among active duty Army. *Am J Prev Med* 2000;18:85-95.

Bell NS, Mangione TW, Hemenway D, Amoroso PJ, Jones BH. High injury rates among female Army trainees - a function of gender? *Am J Prev Med* 2000;18(supplement):141-146.

Bisch FC, Hanson BS, Best NH, Craft DW. The effects of cold storage and endotoxin challenge on osteoblast viability and interleukin-6 production. *J Periodontal Res* 1998;33:150-5.

Boyer CB, Shafer MA, Moncada J, Schacter J, Shaffer RA, Brodine SK. Sociodemographic, behavioral, and clinical factors associated with STDs in a national sample of women entering the U.S. military. Pp. 241-246, in *Proceedings of the International Congress of Sexually Transmitted Infections*, PK Kohl & SJ Jodl (eds). Monduzzi Editore, 2001.

Braun B, Butterfield GE, Dominick SB, Zamudio S, McCullough RG, Rock PB, Moore LG. Women at altitude: changes in carbohydrate metabolism at 4,300 m elevation and across the menstrual cycle. *J Appl Physiol* 1998;85:1966-73.

Braun B, Mawson JT, Muza SR, Dominick SB, Brooks GA, Horning MA, Rock PB, Moore LG, Mazzeo RS, Ezeju-Okoye SC, Butterfield GE. Women at altitude: carbohydrate utilization during exercise at 4,300 m. *J Appl Physiol* 2000;88:246-56.

Braun B, Rock PB, Zamudio S, Wolfel GE, Mazzeo RS, Muza SR, Fulco CS, Moore LG, Butterfield GE. Women at altitude: short-term exposure to hypoxia and/or alpha(1)-adrenergic blockade reduces insulin sensitivity. *J Appl Physiol* 2001;91: 623-31.

Bray RM, Camlin CS, Fairbank JA, Duntzman GH, Wheelless SC. The effects of stress on job functioning of military men and women. *Armed Forces and Society* 2001;27:397-417.

Bray RM, Fairbank FA, Marsden ME. Stress and substance use among military women and men. *Am J Drug Alcohol Abuse* 1999;25:239-56.

Bray RM, Fairbank JA, Marsden ME. Stress and substance use among military women and men. *Am J Drug and Alcohol Abuse* 1999;25:239-56.

Brodine SK, Shafer MA, Shaffer RA, Boyer CB, Putnam SD, Wignall FS, Thomas RJ, Bales B, Schachter J. Asymptomatic sexually transmitted disease prevalence in four military populations: applications of DNA amplification assays for Chlamydia and gonorrhea screening. *J Infect Dis* 1998;178:1202-4.

Burch HB, Shakir F, Fitzsimmons TR, Jaques DP, Shriver CD. Diagnosis and management of the autonomously functioning thyroid nodule: the Walter Reed Army Medical Center experience, 1975-1996. *Thyroid* 1998;8:871-80.

Butte NF, Treuth MS, Mehta NR, Wong WW, Hopkinson JM, O'Brian Smith E. Energy requirements of women of reproductive age. *Am J Clin Nutr* 2003;77:630-8.

Caldwell JA Jr. Effects of operationally effective doses of dextroamphetamine on heart rates and blood pressures of army aviators. *Mil Med* 1996;161:673-8.

Caldwell JA. The use of amphetamines to sustain performance in aviation continuous operations. Pp. 228-253, in: *Countermeasures for Battlefield Stressors*, K Friedl, H Lieberman, DH Ryan, GA Bray (eds.). Louisiana State University Press, Baton Rouge. 2000.

Caldwell JA, Caldwell JL. Recovery sleep and performance following sleep deprivation with dextroamphetamine. *J Sleep Res* 1997;6:92-101.

Caldwell JA, Caldwell JL, Crowley JS. Sustaining female helicopter pilot performance with Dexedrine during sustained operations. *Int J Aviat Psychol* 1997;7:15-36.

Caldwell JA Jr., LeDuc PA. Gender influences on performance, mood and recovery sleep in fatigued aviators. *Ergonomics* 1998;41:1757-70.

Caldwell JA, Roberts KA, Jones HD. Simulator versus in-flight measurement of pilot performance. Pp. 27-1 to 27-7, In: *Current Aeromedical Issues in Rotary Wing Operations*, RTO Meeting Proceedings RTO-MP-19, Neuilly-sur-Seine, France. 1999.

Calhoun BC, Jennings BM, Peniston J, Patience T, Pulos E, Hume R, Perez R. Focused obstetrical clinic for active duty junior enlisted service women: model for improved outcomes. *Mil Med* 2000;165:45-8.

Carter CS. Neuroendocrine perspectives on social attachment and love. *Psychoneuroendocrinology* 1998;23:779-818.

Carter CS, DeVries AC. Stress and soothing: an endocrine perspective, In: *Soothing and Stress*, M Lewis and D. Ramsey (eds.), L Erlbaum & Associates: Mahwah, NJ. Pp. 3-18, 1999.

Carter CS, Altemus M. Integrative functions of lactational hormones in social behavior and stress management. *Ann NY Acad Sci (Integrative Neurobiology of Affiliation)* 1997;807:164-174.

Carter CS, Altemus M, Chrousos GP. Neuroendocrine and emotional changes in the postpartum period. (*The Maternal Brain*, C. Ingram and J. Russell (eds.)), *Prog Brain Res* 2001;133:241-249.

Chang TR, Lambert GP, Moseley PL, Chapler FK, Gisolfi CV. Effect of estrogen supplementation on exercise thermoregulation in premenopausal women. *J Appl Physiol* 1998;85:2082-88. [DAMD17-95-C-5093]

Chelette TL. Investigating gender differences under conditions of fatigue in a simulated high G aerial combat environment. *J Hum Perf Extr Environ* 1997;2:130-2.

Chelette TL, Albery WB, Esken RL, Tripp LD. Female exposure to high G: performance of simulated flight after 24 hours of sleep deprivation. *Aviat Space Environ Med* 1998;69:862-8.

Cigrang JA, Carbone EG, Todd S, Fiedler E. Mental health attrition from Air Force basic military training. *Mil Med* 1998;163:834-8.

Claybaugh JR, Sato AK, Crosswhite LK, Hassell LH. Effects of time of day, gender, and menstrual cycle phase on the human response to a water load. *Am J Physiol* 2000;279:R966-73.

Cline AD, JF Patton, WJ Tharion, SR Strowman, CM Champagne, J Arsenault, Reynolds KL, Warber JP, Baker-Fulco C, Rood J, Tulley RT, Lieberman HR. Assessment of the relationship between iron status, dietary intake, performance, and mood state of female Army officers in a basic training population. Technical Report T98-24, U.S. Army Research Institute of Environmental Medicine, Natick, Massachusetts. September 1998 AD-A351973.

Committee on Body Composition, Nutrition, and Health of Military Women. Committee on Military Nutrition Research. Food and Nutrition Board. Institute of Medicine. *Assessing Readiness in Military Women - The Relationship of Body Composition, Nutrition, and Health*. Washington DC: National Academy Press. 1998. 352 pp.

Committee on Body Composition, Nutrition, and Health of Military Women. Committee on Military Nutrition Research. Food and Nutrition Board. Institute of Medicine. *Reducing Stress Fracture in Physically Active Military Women*. Washington DC: National Academy Press. 1998. 117 pp.

Committee on Defense Women's Health Research. Food and Nutrition Board. Institute of Medicine. *Recommendations for Research on the Health of Military Women*. Washington DC: National Academy Press. 1995. 46 pp.

Conway TL. Tobacco use and the United States military: a longstanding problem [editorial]. *Tob Control* 1998;7:219-221.

Conway TL, Woodruff SI, Edwards CC, Elder JP, Zhu S-H, Hervig LK, Hurtado SL. Operation Stay Quit: smoking relapse prevention for Navy women recruits. *Health Psychol* 1996;18:4-5 & 24.

Cuenin MF, Billman MA, Kudryk VL, Hanson BS. Estrogenic hormones and dental implant therapy: the effects of estrogen and progesterone levels on osseointegration of dental implants. *Mil Med* 1997;162:582-5.

Cymerman A, Lieberman P, Hochstadt J, Rock PB, Butterfield GE, Moore LG. Speech motor control and acute mountain sickness. *Aviat Space Environ Med* 2002;73:766-72.

Davis GD, Goodman MA. Stress urinary incontinence in nulliparous female soldiers in airborne infantry training. *Journal of Pelvic Surgery* 1996;2:68-71.

Davis G, Sherman R, Wong MF, McClure G, Perez R, Hibbert M. Urinary incontinence among female soldiers. *Mil Med* 1999;164:182-7.

Deuster PA, Adera T, South-Paul J. Biological, social, and behavioral factors associated with premenstrual syndrome. *Archives of Family Medicine* 1999;8:122-8.

Dohi K, Mastro AM, Miles MP, Bush JA, Grove DS, Leach SK, Volek JS, Nindl BC, Marx JO, Gotshalk LA, Putakian M, Sebastianelli WJ, Kraemer WJ. Lymphocyte proliferation in response to acute heavy resistance exercise in women: influence of muscle strength and total work. *Eur J Appl Physiol* 2001;85:367-73.

Dooley JW, Hearon CM, Shaffstall RM, Fischer MD. Accommodation of females in the high-G environment: the USAF Female Acceleration Tolerance Enhancement (FATE) Project. *Aviat Space Environ Med* 2001;72:739-746.

Edwards CC, Woodruff SI, Conway TL. Operation Stay Quit: preventing smoking relapse among U.S. navy women. *Am J Health Behav* 1999;23:352-55.

Euhus DM, Uyehara C. Influence of parenteral progesterones on the prevalence and severity of mastalgia in premenopausal women: a multi-institutional cross-sectional study. *J Am Coll Surgeons* 1997;184:596-604.

Evans JS, Nims T, Cooley J, Bradley W, Jagodzinski L, Zhou S, Melcher GP, Burke DS, Vahey M. Serum levels of virus burden in early-stage human immunodeficiency virus type 1 disease in women. *J Infect Dis* 1997;175:795-800.

Evans MA. Generalizability in pregnancy and work research. *Mil Med* 1998;163:304-6.

Evans MA, Rosen LN. Demographic and psychosocial risk factors for preterm delivery in an active duty pregnant population. *Mil Med* 2000;165:49-53.

Evans MA, Rosen LN. Pregnancy planning and the impact on work climate, psychological well-being, and work effort in the military. *J Occup Health Psychol* 1997;2:353-61.

Federman EB, Bray RM, Kroutil LA. Relationships between substance use and recent deployments among women and men in the military. *Mil Psychol* 2000;12:205-20.

Fried M, Duffy PE. Maternal malaria and parasite adhesion. *J Mol Med* 1998;76:162-71.

Fried M, Duffy PE. Adherence of *Plasmodium falciparum* to chondroitin sulfate A in the human placenta. *Science* 1996;272:1502-4.

Fried M, Nosten F, Brockman A, Brabin BJ, Duffy PE. Maternal antibodies block malaria. *Nature* 1998;395:851-2.

Fried M, Muga RO, Misore AO, Duffy PE. Malaria elicits Type I cytokines in the human placenta: IFN-gamma and TNF-alpha associated with pregnancy outcomes. *J Immunol* 1998;160:2523-30.

Fulco CS, Rock PB, Muza SR, Lammi E, Braun B, Cymerman A, Moore LG, Lewis SF. Gender alters impact of hypobaric hypoxia on adductor pollicis muscle performance. *J Appl Physiol* 2001;91:100-8.

Fulco CS, Rock PB, Muza SR, Lammi E, Cymerman A, GE Butterfield, B Braun, LG Moore, SF Lewis. Slower fatigue and faster recovery of the adductor pollicis muscle in women matched for strength with men. *Acta Physiol Scandanavica* 1999;167:233-9.

Fulco CS, Rock PB, Muza SR, Wolfel EE, Moore LG, Cymerman A. Circulatory responses to orthostasis during alpha1-adrenergic receptor blockade at high altitude. *Aviat Space Environ Med* 2001;72:1075-80.

Garland FC, Garland CF, Gorham ED. A model of the expected occurrence of adverse pregnancy outcomes aboard U.S. Navy ships. *Mil Med* 2000;165:691-697.

Gat-Yablonski G, Ries L, Lev D, Goldman B, Friedman E. A missense mutation in Col1A1 in a Jewish Israeli patient with mild Osteogenesis Imperfecta, detected by DGGE. *Hum Genet* 1997;101:22-5.

Gaydos CA, Howell MR, Pare B, Clark KL, Ellis DA, Hendrix RM, Gaydos JC, McKee KT, Quinn TC. Chlamydia Trachomatis infections in female military recruits. *New England J Med* 1998;339:739-44.

Gaydos CA, Howell MR, Quinn TC, Gaydos JC, McKee KT. Use of ligase chain reaction with urine versus cervical culture for detection of Chlamydia trachomatis in an asymptomatic military population of pregnant and nonpregnant females attending Papanicolaou smear clinics. *J Clin Microbiol* 1998;36:1300-4.

Givon U, Friedman E, Reiner A, Vered I, Finestone A, Shemer J. Stress fractures in the Israeli Defense Forces in 1995-1996. *Clin Orthop* 2000;373:227-32.

Glickman-Weiss EL, Cheatham C, Caine N, Blegen M, Marcinkiewicz J, Mittleman KD. The influence of gender and menstrual phase on thermosensitivity during cold water immersion. *Aviat Space Environ Med* 2000;71:715-722.

Glickman-Weiss EL, Cheatham CC, Caine N, Blegen M, Marcinkiewicz J. Influence of gender and menstrual cycle on a cold air tolerance test and its relationship to thermosensitivity. *Undersea Hyperb Med* 2000;27:75-81.

Glickman-Weiss E, Caine N, Cheatham CC, Blegen M, Scharschmidt T, Marcinkiewicz J. The effects of gender and menstrual phase on carbohydrate utilization during acute cold exposure. *Wilderness and Environ Med* 2000;11:5-11.

Golenda CF, Solberg VB, Burge R, Gambel JM, Wirtz RA. Gender-related efficacy difference to an extended duration formulation of topical N,N-diethyl-m-toluamide (DEET). *Am Journal Trop Med Hyg* 1999;60:654-7.

Gonzalez RR, Blanchard LA. Thermoregulatory responses to cold transients: effects of menstrual cycle in resting women. *J Appl Physiol* 1998;85:543-53.

Gonzalez RR, Blanchard LA, Allison WF. Cytokine interaction with the menstrual cycle during cold stress and exercise. *Ann NY Acad Sci* 1998;856:261-265.

Gonzalez RR, Blanchard LA, Allison WF, Gonzalez JA. Thermoregulatory sweating during cold transients and exercise: effect of menstrual cycle phase. *J Hum Engineering* (in press).

Gonzalez RR, Endrusick TL, Levell CA. Biophysical properties and skin wettedness of garments with variable moisture vapor transmission rates (MVTR). *J Thermal Biol* 1998;23:41-48.

Gonzalez RR, McLellan TM, Tenaglia SA. Heat strain in women: comparison of model and experimental results with NBC protective clothing systems. Technical Report TTCP-HUM-TP-6/SGU/97/KCA6. US Army Research Institute of Environmental Medicine, Natick, Massachusetts & Defence and Civil Institute of Environmental Medicine, North York, Ontario. 42 pp.

Gotshalk LA, Nindl BC, Bush JA, Fleck SJ, Newton RU, Hakkinen K, Kraemer WJ. Strength development in untrained women during 6 months of periodized heavy resistance training. Pp. 165-6, In: *International Conference on Weightlifting and Strength Training*, K. Hakkinen (ed.), Gummerus Printing. 1998.

Graham WF, Hourani LL, Sorenson D, Yuan H. Demographic differences in body composition of Navy and Marine Corps personnel: findings from the Perception of Wellness and Readiness Assessment. *Mil Med* 2000;165:60-9.

Grajewski B, Waters MA, Whelan EA, Bloom TF. Radiation dose estimation for epidemiologic studies of flight attendants. *Am J Ind Med* 2002;41:27-37.

Harkins GJ, Dettori GD, Hibbert ML, Hoyt RA. Decline in bone mineral density with stress fractures in a woman on depot medroxyprogesterone acetate – a case report. *J Reprod Med* 199;44:309-12.

Houston CS, G Coates (eds.). Hypoxia: Women at Altitude. Proceedings of the Tenth International Hypoxia Symposium at Lake Louise, Canada, February 18-22, 1997. Burlington, Vermont: Queen City Printers, Ltd. 1997. 328 pp.

Howell MR, Gaydos JC, McKee KT, Quinn TC, Gaydos CA. Control of Chlamydia trachomatis infections in female Army recruits: cost-effective screening and treatment in training cohorts to prevent pelvic inflammatory disease. *Sexually Transmitted Diseases* 1999;26:519-26.

Howell MR, McKee KT, Gaydos JC, Quinn TC, Gaydos CA. Point-of-entry screening for *C. trachomatis* in female Army recruits: who derives the cost savings? *Am J Prev Med* 2000;19:160-166.

Hourani LL, Yuan H. The mental health status of women in the Navy and Marine Corps: preliminary findings from the Perceptions of Wellness and Readiness Assessment. *Mil Med* 1999;164:174-81.

Hourani LL, Yuan H, Bray RM, Vincus AA. Psychosocial correlates of nicotine dependence among men and women in the U.S. naval services. *Addict Behav* 1999;24:521-36.

Hu H, Stern A, Rotnitzky A, Schlesinger L, Proctor S, Wolfe J. Development of a brief questionnaire for screening for multiple chemical sensitivity syndrome. *Toxicol Ind Health* 1999;15:582-588.

Hymer WC, Kraemer WJ, Nindl BC, Marx JO, Benson DE, Welsch JR, Mazzetti SA, Volek JS, Deaver DR. Characteristics of circulating growth hormone in women after acute heavy resistance exercise. *Am J Physiol* 2001;281:E878-87.

Jensen-Pergakes KL, Kennedy MA, Lees ND, Barbuch R, Koegel C, Bard M. Sequencing, disruption, and characterization of the *Candida albicans* sterol methyltransferase (*ERG6*) gene: drug susceptibility studies in *erg6* mutants. *Antimicrob Agents Chemother* 1998;42:1160-67.

Johnson RF, Merullo DJ. Caffeine, gender and sentry duty: effects of a mild stimulant on vigilance and marksmanship. Pp. 272-89, in: *Countermeasures for Battlefield Stressors*, K Friedl, H Lieberman, DH Ryan, GA Bray (eds.). Louisiana State University Press, Baton Rouge. 2000.

Jones BH, PJ Amoroso (eds.). *Injuries in the U.S. Armed Forces. Surveillance, Research, and Prevention.* *Am J Prev Med* 2000; 18(supplement):1-190.

Jorgensen MJ, Marras WS, Granata KP, Wiand JW. MRI-derived moment-arms of the female and male spine loading muscles. *Clin Biomech* 2001;16:182-93.

Kacena KA, Quinn SB, Howell MR, Madico GE, Quinn TC, Gaydos CA. Pooling urine samples for ligase chain reaction screening for genital *Chlamydia trachomatis* infection in asymptomatic women. *J Clin Microb* 1998;36:481-5.

Kamimori GH, Joubert A, Otterstetter R, Santaromana M, Eddington ND. The effect of the menstrual cycle on the pharmacokinetics of caffeine in normal, healthy eumenorrheic females. *Eur J Clin Pharmacol* 1999;55:445-9.

Kamimori GH, Sirisuth N, Greenblatt DJ, Eddington ND. The influence of the menstrual cycle on triazolam and iodocyanine green pharmacokinetics. *J Clin Pharmacol* 2000;40:739-44.

Kelly EW, Jonson SR, Cohen ME, Shaffer R. Stress fractures of the pelvis in female navy recruits: an analysis of possible mechanisms of injury. *Mil Med* 2000;165:142-6.

Kennedy MA, Johnson TA, Lees ND, Barbuch R, Eckstein JA, Bard M. Cloning and sequencing of the *Candida albicans* C-4 sterol methyl oxidase gene (ERG25) and expression of an ERG25 conditional lethal mutation in *Saccharomyces cerevisiae*. *Lipids* 2000;35:257-62.

Kepczyk T, Cremins JE, Long BD, Bachinski MB, Smith LR, McNally PR. A prospective, multidisciplinary evaluation of premenopausal women with iron deficiency anemia. *Am J Gastroenterol* 1999;94:109-15.

King RE, McGlohn SE, Retzlaff PD. Female United States Air Force pilot personality: the new right stuff. *Mil Med* 1997;162:695-7.

Kirby AW, Clayton M, Rivera P, Comperatore CA. Melatonin and the reduction or alleviation of stress. *J Pineal Res* 1999;27:78-85.

Knapik JJ. The influence of physical fitness training on the manual material handling capability of women. *Appl Ergon* 1997;28:339-345.

Kolka MA, Levine L, Stephenson LA. Use of an ingestible telemetry sensor to measure core temperature under chemical protective clothing. *J Thermal Biol* 1998;23:343-349.

Kolka MA, Stephenson LA. Interaction of menstrual cycle phase, clothing resistance and uncompensable heat stress on thermoregulation in women. *J Thermal Biol* 1997;22:137-141.

Kolka MA, Stephenson LA. Effect of luteal phase elevation in core temperature on forearm blood flow during exercise. *J Appl Physiol* 1997;82:1079-83.

Kondwani KA, Lollis CM. Is there a role for stress management in reducing hypertension in African Americans? *Ethn Dis* 2001;11:788-92.

Kraemer WJ, Mazzetti SA, Nindl BC, Gotshalk LA, Volek JS, Bush JA, Marx JO, Dohi K, Gomez AL, Miles M, Fleck SJ, Newton RU, Hakkinen K. Effect of resistance training on women's strength/power and occupational performances. *Med Sci Sports Exerc* 2001;33:1011-25.

Kraemer WJ, Nindl BC, Gotshalk LA, Harman FS, Volek JS, Tokeshi A, Meth S, Bush JA, Etzweiler SW, Fredman BS, Sebastianelli WJ, Putukian M, Newton RU, Hakkinen K, Fleck S. Prediction of military relevant occupational tasks in women from physical

performance components. Pp. 719-22, In: *Advances in Occupational Ergonomics and Safety*, S. Kumar (ed.). IOS Press. 1998.

Kraemer WJ, Nindl BC, Gotshalk LA, Marx JO, Tokeshi SA, Harman FS, Dohi K, Newton RU, Fleck SJ, Hakkinen K. Hypertrophy of the upper and lower body musculature in women following 6 months of periodized heavy resistance training. Pp. 171-2, In: *International Conference on Weightlifting and Strength Training*, K. Hakkinen (ed.), Gummerus Printing. 1998.

Kritz-Silverstein D, Wingard DL, Garland FC. The association of behavior and lifestyle factors with menstrual symptoms. *J Womens Health (Larchmt)* 1999;8:1185-93.

Kroening M, Robinson S, Hegge F. Expanding WebLS to support a breast cancer decision guide. *PC AI Magazine* Mar/Apr 1998; volume 12. (<http://www.pcai.com/>)

Lappe JM, Stegman MR, Recker RR. The impact of lifestyle factors on stress fractures in female Army recruits. *Osteoporos Int* 2001;12:35-42.

Lauder TD, Baker SP, Smith GS, Lincoln AE. Sports and physical training injury in hospitalizations in the Army. *Am J Prev Med* 2000;18:118-128.

Lincoln AE, Smith GS, Amoroso PJ, Bell NS. The natural history and risk factors of musculoskeletal conditions resulting in disability among U.S. Army personnel. *Work* 2002;18:99-113.

Lincoln AE, Smith GS, Baker SP. The use of existing military administrative and health databases for injury research. *Am J Prev Med* 2000;18:8-13.

Lincoln AE, Vernick JS, Ogaitis S, Smith GS, Mitchell CS, Agnew J. Interventions for the primary prevention of work-related carpal tunnel syndrome. *Am J Prev Med* 2000;18(4S):37-50.

Loucks AB, Thuma JR. Luteinizing hormone pulsatility is disrupted at a threshold of energy availability in regularly menstruating women. *J Clin Endocrinol Metab* 2003;88:297-311.

Lu GC, Schwebke JR, Duffy LB, Cassell GH, Hauth JC, Andrews WW, Goldenberg RL. Midtrimester vaginal *Mycoplasma genitalium* in women with subsequent spontaneous preterm birth. *Am J Obstet Gynecol* 2001;185:163-5. [related study; not the main product; no grants cited but confirmed by PI]

Markenson GR, Martin RK, Tillotson-Criss M, Foley KS, Stewart Jr RS, Yancey M. The use of the polymerase chain reaction to detect bacteria in amniotic fluid in pregnancies complicated by preterm labor. *Am J Obstet Gynecol* 1997;177:1471-7.

Marras WS, Davis KG, Jorgensen MJ. Spine loading as a function of gender. *Spine* 2002;27:2514-20.

Marras WS, Jorgensen MJ, Granata KP, Wiand B. Female and male trunk geometry: size and prediction of the spine loading trunk muscles derived from MRI. *Clin Biomech* 2001;16:38-46.

Martin L, Rosen LN, Durand DB, Knudson KH, Stretch RH. Psychological and physical health effects of sexual assaults and nonsexual traumas among male and female United States Army soldiers. *Behav Med* 2000;26:23-33.

Martin L, Rosen LN, Durand DB, Stretch RH, Knudson KH. Prevalence and timing of sexual assaults in a sample of male and female U.S. Army soldiers. *Mil Med* 1998;163:213-6.

Marx JO, Nindl BC, Gotshalk LA, Volek JS, Harman FS, Dohi K, Bush JA, Fleck SJ, Hakkinen K, Kraemer WJ. The effects of a low-volume progressive resistance exercise program versus a high-volume periodized resistance exercise program on muscular performance in women. Pp. 167-8, In: *International Conference on Weightlifting and Strength Training*, K. Hakkinen (ed.), Gummerus Printing. 1998.

Marx JO, Ratamess NA, Nindl BC, Gotshalk LA, Volek JS, Dohi K, Bush JA, Gomez AJ, SA Mazzetti, Fleck SJ, Hakkinen K, Newton RU, Kraemer WJ. Low-volume circuit versus high-volume periodized resistance training in women. *Med Sci Sports Exerc* 2001;33:635-43.

Mawson JT, Braun B, Rock PB, Moore LG, Mazzeo R, Butterfield GE. Women at altitude: energy requirement at 4,300 m. *J Appl Physiol* 2000;88:272-81.

Mazzeo RS, Child A, Butterfield GE, Braun B, Rock PB, Wolfel EE, Zamudio S, Moore LG. Sympathoadrenal responses to submaximal exercise in women after acclimatization to 4,300 meters. *Metabolism* 2000;49:1036-42.

Mazzeo RS, Child A, Butterfield GE, Mawson JT, Zamudio S, Moore LG. Catecholamine response during 12 days of high-altitude exposure (4,300 m) in women. *J Appl Physiol* 1998;84:1151-7.

McDermott MT, Christensen RS, Lattimer J. The effects of region-specific resistance and aerobic exercises on bone mineral density in premenopausal women. *Mil Med* 2001;166:318-321.

McGlohn SE, King RE, Butler JW, PD Retzlaff PD. Female United States Air Force (USAF) pilots: themes, challenges, and possible solutions. *Aviat Space Environ Med* 1997;68:132-6.

Miles MP, Leach SK, Kraemer WJ, Dohi K, Bush JA, Mastro AM. Leukocyte adhesion molecule expression during intense resistance exercise. *J Appl Physiol* 1998;84:1604-9.

Morris CE, Popper SE. Gender and effect of impact acceleration on neck motion. *Aviat Space Environ Med* 1999;70:851-6.

Muza SR, Rock PB, Fulco CS, Zamudio S, Braun B, Cymerman A, Butterfield GE, Moore LG. Women at altitude: ventilatory acclimatization at 4,300 m. *J Appl Physiol* 2001;91:1791-9.

Nindl BC, Gotshalk LA, Marx JO, Tokeshi SA, Volek JS, Fleck SJ, Newton RU, Hakkinen K, Kraemer WJ. Testosterone concentrations in women: relationship to the trainability of neuromuscular performance. Pp. 173-4, In: *International Conference on Weightlifting and Strength Training*, K Hakkinen (ed.), Gummerus Printing. 1998.

Nindl BC, Harman EA, Marx JO, Gotshalk LA, Frykman PN, Lammi E, Palmer C, Kraemer WJ. Regional body composition changes in women after 6 months of periodized physical training. *J Appl Physiol* 2000;88:2251-9.

Nindl BC, Kraemer WJ, Hymer WC. Immunofunctional vs immunoreactive growth hormone responses after resistance exercise in men and women. *Growth Horm IGF Res* 2000;10:99-103.

Nindl BC, Kraemer WJ, Gotshalk LA, Marx JO, Volek JS, Bush JA, Hakkinen K, Newton RU, Fleck SJ. Testosterone responses after acute resistance exercise in women: effects of regional fat distribution. *Int J Sports Nutr Exerc Metab* 2001;11:452-67.

Nindl BC, Kraemer WJ, Gotshalk LA, Meth S, Etzweiler SW, Tokeshi SA, Sebastianelli WJ, Putukian M, Newton RU, Hakkinen K, Fleck S. The effects of resistance training on augmenting women's performance during a high-intensity military relevant manual materials handling task. Pp. 723-26, In: *Advances in Occupational Ergonomics and Safety*, S. Kumar (ed.). IOS Press. 1998.

Nixon CW, Morris LJ, McCavitt AR, McKinley RL, Anderson TR, McDaniel MP, Yeager DG. Female voice communications in high levels of aircraft cockpit noises – Part I: spectra, levels, and microphones. *Aviat Space Environ Med* 1998;69:675-83.

Nixon C, Anderson T, Morris L, McCavitt A, McKinley R, Yeager D, McDaniel M. Female voice communications in high levels of aircraft cockpit noises – Part II: vocoder and automatic speech recognition systems. *Aviat Space Environ Med* 1998;69:1087-94.

Norwood AE, Ursano RJ, Gabbay FH. Health effects of the stressors of extreme environments on military women. *Mil Med* 1997;162:643-8.

O'Leary TJ, Teilado M, Buckner S-B, Ali IS, Stevens A, Ollayos CW. PAPNET-assisted rescreening of cervical smears: cost and accuracy compared with a 100% manual rescreening strategy. *J Am Med Assoc* 1998;279:235-237.

Puhala E, Lemasters G, Smith L, Talaska G, Simpson S, Joyce J, Trinh K, Lu J. Jet fuel exposure in the United States Air Force. *Appl Occup Environ Hyg* 1997;12:606-610.

Ramanujam VMS, Yokoi K, Egger NG, Dayal HH, NW Alcock NW, Sandstead HH. Polyatomics in zinc isotope ratio analysis of plasma samples by inductively coupled plasma-mass spectrometry and applicability of nonextracted samples for zinc kinetics. *Biol Trace Elem Res* 1999;68:143-58.

Redwine LS, Altemus M, Leong Y-M, Carter CS. Lymphocyte responses to stress in postpartum women: relationship to vagal tone. *Psychoneuroendocrinology* 2001;26:241-251.

Reeves JT, Zamudio S, Dahms TE, Asmus I, Braun B, Butterfield GE, McCullough RG, Muza SR, Rock PB, Moore LG. Erythropoiesis in women during 11 days at 4,300 m is not affected by menstrual cycle phase. *J Appl Physiol* 2001;91:2579-86.

Reynolds KL, Harman EA, Worsham RE, Sykes MB, Frykman PN, Backus VL. Injuries in women associated with a periodized strength training and running program. *J Strength Cond Res* 2001;15:136-43.

Reutman SR, LeMasters GK, Knecht EA, Shukla R, Lockey JE, Burroughs GE, Kesner JS. Evidence of reproductive endocrine effects in women with occupational fuel and solvent exposures. *Environ Health Perspect* 2002;110:805-11.

Rhodes AG, LeMasters GK, Lockey JE, Smith JW, Smith JH, Yiin JH, Egeghy P, Gibson R. The effects of jet fuel on immune cells of fuel system maintenance workers. *J Occup Environ Med* 2003;45:79-86.

Rice VJ, Murphy M, Sharp M, Mello R, Bills R. Effect of maximum acceptable vs maximum capacity instruction for three lifting tasks. Pp. 912-6. In: *Proceedings of the Human Factors Society 42nd Annual Meeting, 1998*. Santa Monica, CA: Human Factors Society.

Rosen LH, Martin L. Childhood antecedents of psychological adaptation to military life. *Mil Med* 1996;161:665-668.

Rosen LH, Martin L. The measurement of childhood trauma among male and female soldiers in the U.S. Army. *Mil Med* 1996;161:342-345.

Rosen LH, Martin L. Impact of childhood abuse history on psychological symptoms among male and female soldiers in the U.S. Army. *Child Abuse Negl* 1996;20:1149-1160.

Rosen LH, Martin L. Sexual harassment, cohesion, and combat readiness in U.S. Army support units. *Armed Forces & Society* 1997;24:221-44.

Rosen LH, Martin L. Incidence and perceptions of sexual harassment among male and female U.S. Army soldiers. *Military Psychology* 1998;10:239-57.

Rosen LH, Martin L. Long-term effects of childhood maltreatment history on gender-related personality characteristics. *Child Abuse Negl* 1998;22:197-211.

Rosen LH, Martin L. Psychological effects of sexual harassment, appraisal of harassment, and organizational climate among U.S. Army soldiers. *Mil Med* 1998;163:63-7.

Rosen LH, Martin L. Childhood maltreatment history as a risk factor for sexual harassment among U.S. Army soldiers. *Violence Vict* 1998;13:269-286.

Rosen LH, Martin L. Predictors of tolerance of sexual harassment among male U.S. Army soldiers. *Violence Against Women* 1998;4:491-504.

Rosen LH, Martin L. Personality characteristics that increase vulnerability to sexual harassment among U.S. Army soldiers. *Mil Med* 2000;165:709-713.

Rosen LN, Weber JP, Martin L. Gender-related personal attributes and psychological adjustment among U.S. Army soldiers. *Mil Med* 2000;165:54-59.

Sadler AG, Booth BM, Cook BL, Doebbeling BN. Factors associated with women's risk of rape in the military environment. *Am J Ind Med* 2003;43:262-273.

Sadler AG, Booth BM, Nielson D, Doebbeling BN. Health-related consequences of physical and sexual violence: women in the military. *Obstet Gynecol* 2000;96:473-480.

Sadler AG, Booth BM, Cook BL, Torner JC, Doebbeling BN. The military environment: risk factors for women's non-fatal assaults. *J Occup Environ Med* 2001;43:325-334.

Santee WR, Kraning KK, Matthew WT. Modeling analysis of women litter bearers during heat stress. *Aviat Space Environ Med* 1999;70:340-5.

Schwerin MJ, Sack DM. Shipboard women's health care: provider perceptions. *Mil Med* 1997;162:666-70.

Shaffer RA, Brodine SK, Ito SI, Le AT. Epidemiology of illness and injury among U.S. Navy and Marine Corps female training populations. *Mil Med* 1999;164:17-21.

Sherman RA, Davis GD, Wong MF. Behavioral treatment of exercise-induced urinary incontinence among female soldiers. *Mil Med* 1997;162:690-4.

- Singh A, Papanicolaou DA, Lawrence LL, Howel EA, Chrousos GP, Deuster PA. Neuroendocrine responses to running in women after zinc and vitamin E supplementation. *Med Sci Sports Exerc* 1999;31:536-42.
- Smith GS, Dannenberg AL, Amoroso PJ. Hospitalization due to injuries in the military - evaluation of current data and recommendations on their use for injury prevention. *Am J Prev Med* 2000;18(Supplement):41-53.
- Smith LB, Bhattacharya A, Lemasters G, Succop P, Puhala II E, Medvedovic M, Joyce J. Effect of chronic low level exposure to jet fuel on postural balance of U.S. Air Force personnel. *J Occup Environ Med* 1997;39:623-32.
- Smith SD. The effects of prototype helicopter seat cushion concepts on human body vibration response. *J Low Frequency Noise Vibration and Active Control* 1998;17:43-53.
- Smith SD. Modeling differences in the vibration response characteristics of the human body. *J Biomech* 2000;33:1513-6.
- Smith SD. Characterizing the effects of airborne vibration on human body vibration response. *Aviat Space Environ Med* 2002;73:36-45.
- Smoak BL, Writer JV, Keep LW, Cowan J, Chantelois JL. The effects of inadvertent exposure of mefloquine chemoprophylaxis on pregnancy outcomes and infants of US Army servicewomen. *J Infect Dis* 1997;176:831-3.
- Snedecor MR, Boudreau CF, Ellis BE, Schulman J, Hite M, Chambers B. U.S. Air force recruit injury and health study. *Am J Prev Med* 2000;18(3 Suppl):129-40.
- Stamper DA, Lund DJ, Molchany JW, Stuck BE. Laboratory simulator and field pursuit tracking performance with females and males in the presence of laser glare. *Aviat Space Environ Med* 1997;68:580-7.
- Stern A, J Wolfe, Daley J, Zaslavsky A, Roper SF, Wilson K. Changing demographic characteristics of women veterans: results from a national sample. *Mil Med* 2000;165:773-780.
- Strickman D, Sheer T, Salata K, Hershey J, Dasch G, Kelly D, Kuschner R. In vitro effectiveness of azithromycin against doxycycline-resistance and -susceptible strains of *Rickettsia tsutsugamushi*, etiologic agent of scrub typhus. *Antimicrob Agents Chemother* 1995;39:2406-10.
- Sulsky SK, Mundt KA, Bigelow C, Amoroso PJ. Risk factors for occupational knee related disability among enlisted women in the US Army. *Occup Environ Med* 2002;59:601-7.

Tant CL, Van Fleet K, Pokorski T. Mechanical analysis of the movements used during ejection in the NACES and LS1 ejection seats. Pp. 392-405, in: Proceedings of the SAFE Association, 33rd Annual Symposium, Reno, Nevada, 23-25 October 1995. Cottage Grove, Oregon: SAFE Association. 1995.

Thomas AG, Brodine SK, Shaffer R, Shafer MA, Boyer CB, Putnam S, Schachter J. Chlamydial infection and unplanned pregnancy in women with ready access to health care. *Obstet Gynecol* 2001;98:1117-23.

Thomas MD, Thomas PJ, Garland FC. Contraceptive use and attitudes toward family planning in Navy enlisted women and men. *Mil Med* 2001;166:550-556.

Tripp LD, Chelette T, Savul S, Widman RA. Female exposure to high G: effects of simulated combat sorties on cerebral and arterial O₂ saturation. *Aviat Space Environ Med* 1998;69:869-74.

Tseng J, Komisar JL, Trout RN, Hunt RE, Chen JY, Johnson AJ, Pitt L, Ruble DL. Humoral immunity to aerosolized staphylococcal enterotoxin B (SEB), a superantigen, in monkeys vaccinated with SEB toxoid-containing microspheres. *Infect Immun* 1995;63:2880-5.

Wang RY-H, Grandinetti T, Shih JW, Weiss SH, Haley CL-D, Hayes MM, Lo S-C. Mycoplasma genitalium infection and host antibody immune response in patients infected by HIV, patients attending STD clinics and in healthy blood donors. *FEMS Immunol Med Microbiol* 1997;19:237-45.

Weaver KB, Woodruff SI, Conway TL, Edwards CC, Zhu SH, Elder JP. Does the US Navy attract young women who smoke? *Occup Environ Med* 1998;55:792-794.

Webb JT, Kannan N, Pilmanis AA. Gender not a factor for altitude decompression sickness risk. *Aviat Space Environ Med* 2003;74:2-10.

Wolfe J, Proctor SP, Erickson DJ, Hu H. Risk factors for multisymptom illness in US Army veterans of the Gulf War. *J Occup Environ Med* 2002;44:271-81.

Wong TY, Smith GS, Lincoln AE, Teilsch J. Ocular trauma in the United States Army: hospitalization records from 1985 through 1994. *Am J Ophthalmol* 2000;129:645-50.

Woodruff SI, Edwards CC, Conway TL. Enhancing response rates to a smoking survey for enlisted U.S. Navy women. *Evaluation Review* 1998;22:780-91.

Woodruff SI, Conway TL, Edwards CC, Elder JP. The United States navy attracts young women who smoke (letter to the editor). *Tob Control* 1999;8:222-3.

Woodruff SI, Conway TL, Edwards CC. Effect of an eight week smoking ban on women at US Navy Recruit Training Command. *Tob Control* 2000;9:40-46.

Woodruff SI, Conway TL, Edwards CC. Increasing response rates to a smoking survey for U.S. Navy enlisted women. *Evaluation and the Health Professions* 2000;23:172-181.

Wright KP Jr., Badia P. Effects of menstrual cycle phase and oral contraceptives on alertness, cognitive performance, and circadian rhythms during sleep deprivation. *Behav Brain Res* 1999;103:185-94.

Wright KP Jr., Myers BL, Plenzler SC, Drake CL, Badia P. Acute effects of bright light and caffeine on nighttime melatonin and temperature levels in women taking and not taking oral contraceptives. *Brain Res* 2000;873:310-7.

Young SA, Hurt PH, Benedek DM, Howard RS. Treatment of premenstrual dysphoric disorder with sertraline during the luteal phase: a randomized, double-blind, placebo-controlled crossover trial. *J Clin Psychiatry* 1998;59:76-80.

Zamudio S, Douglas M, Mazzeo RS, Wolfel EE, Young DA, Rock PB, Braun B, Muza SR, Butterfield GE, Moore LG. Women at altitude: forearm hemodynamics during acclimatization to 4,300 m with alpha(1)-adrenergic blockade. *Am J Physiology* 2001;281:H2636-44.